L Number	Hits	Search Text	DB	Time stamp
57	6	(709/$3 and 713/$6).ccls. and (biometric or fingerprint or finger adj print).ab,ti. and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 09:09
-	5927	((713/176) or (713/170) or (713/169) or (713/168) or (713/161) or (713/155) or (705/67) or (705/44) or (455/411) or (382/124) or (382/116) or (380/258) or (380/247) or (380/232) or (380/229) or (379/142.05) or (340/5.86) or (340/5.83) or (340/5.8) or (340/5.53)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 13:19
-	1717	(((713/176) or (713/170) or (713/169) or (713/168) or (713/161) or (713/155) or (705/67) or (705/44) or (455/411) or (382/124) or (382/116) or (380/258) or (380/247) or (380/232) or (380/229) or (379/142.05) or (340/5.86) or (340/5.83) or (340/5.8) or (340/5.53)).CCLS.) and (biometric or fingerprint or finger adj print)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 14:31
-	2	("20010035814").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 13:21
-	1184	((((713/176) or (713/170) or (713/169) or (713/168) or (713/161) or (713/155) or (705/67) or (705/44) or (455/411) or (382/124) or (382/116) or (380/258) or (380/247) or (380/232) or (380/229) or (379/142.05) or (340/5.86) or (340/5.83) or (340/5.8) or (340/5.53)).CCLS.) and (biometric or fingerprint or finger adj print)) and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 14:33
-	29	(((((713/176) or (713/170) or (713/169) or (713/168) or (713/161) or (713/155) or (705/67) or (705/44) or (455/411) or (382/124) or (382/116) or (380/258) or (380/247) or (380/232) or (380/229) or (379/142.05) or (340/5.86) or (340/5.83) or (340/5.8) or (340/5.53)).CCLS.) and (biometric or fingerprint or finger adj print)) and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")) and (first and second) adj5 (authenticat$3 or check$3 or match$3 or input$4) near10 (biometric or fingerprint or finger adj print)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 09:08
-	20	(709/$3).ccls. and (biometric or fingerprint or finger adj print) near10 (authenticat$3 and authoriz$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 14:36
-	9	((709/$3).ccls. and (biometric or fingerprint or finger adj print) near10 (authenticat$3 and authoriz$5)) and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 14:34
-	0	(((709/$3).ccls. and (biometric or fingerprint or finger adj print) near10 (authenticat$3 and authoriz$5)) and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")) and ((((((713/176) or (713/170) or (713/169) or (713/168) or (713/161) or (713/155) or (705/67) or (705/44) or (455/411) or (382/124) or (382/116) or (380/258) or (380/247) or (380/232) or (380/229) or (379/142.05) or (340/5.86) or (340/5.83) or (340/5.8) or (340/5.53)).CCLS.) and (biometric or fingerprint or finger adj print)) and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")) and (first and second) adj5 (authenticat$3 or check$3 or match$3 or input$4) near10 (biometric or fingerprint or finger adj print))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 14:34
-	51	(713/$6).ccls. and (709/$3).ccls. and (biometric or fingerprint or finger adj print) near10 (authenticat$3 or authoriz$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 14:55

BEST AVAILABLE COPY

-	0	((((709/$3).ccls. and (biometric or fingerprint or finger adj print) near10 (authenticat$3 and authoriz$5)) and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")) or (((713/$6).ccls. and (709/$3).ccls. and (biometric or fingerprint or finger adj print) near10 (authenticat$3 or authoriz$5)) and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427"))) and (first and second) adj5 (authenticat$3 or check$3 or match$3 or input$4) near10 (biometric or fingerprint or finger adj print)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 14:35
-	25	((713/$6).ccls. and (709/$3).ccls. and (biometric or fingerprint or finger adj print) near10 (authenticat$3 or authoriz$5)) and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 14:54
-	3	(((((709/$3).ccls. and (biometric or fingerprint or finger adj print) near10 (authenticat$3 and authoriz$5)) and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")) or (((713/$6).ccls. and (709/$3).ccls. and (biometric or fingerprint or finger adj print) near10 (authenticat$3 or authoriz$5)) and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427"))) and (biometric or fingerprint or finger adj print).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 14:36
-	9	(((709/$3).ccls. and (biometric or fingerprint or finger adj print) near10 (authenticat$3 and authoriz$5)) and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")) and (709/$3).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 14:45
-	4314	(authoriz$5 or authenticat$3 or check$3 or match$3 or input$4) near10 (biometric or fingerprint or finger adj print or identity or identification) near20 (access$3 or distribut$3) near5 (content or document or information or database or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:08
-	855	((authoriz$5 or authenticat$3 or check$3 or match$3 or input$4) near10 (biometric or fingerprint or finger adj print or identity or identification) near20 (access$3 or distribut$3) near5 (content or document or information or database or data)) and (authoriz$5 or authenticat$3 or check$3 or match$3 or input$4) near10 (biometric or fingerprint or finger adj print) near20 (access$3 or distribut$3) near5 (content or document or information or database or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 14:51
-	1	(((709/$3).ccls. and (biometric or fingerprint or finger adj print) near10 (authenticat$3 and authoriz$5)) and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")) and (((authoriz$5 or authenticat$3 or check$3 or match$3 or input$4) near10 (biometric or fingerprint or finger adj print or identity or identification) near20 (access$3 or distribut$3) near5 (content or document or information or database or data)) and (authoriz$5 or authenticat$3 or check$3 or match$3 or input$4) near10 (biometric or fingerprint or finger adj print) near20 (access$3 or distribut$3) near5 (content or document or information or database or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 14:50
-	194	(authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3) near10 (biometric or fingerprint or finger adj print) and (access$3 or distribut$3) near5 (content or document or information or database or data) with (second near5 (authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3) or reauthenticat$3 or re-authenticat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 14:54
-	123	((authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3) near10 (biometric or fingerprint or finger adj print) and (access$3 or distribut$3) near5 (content or document or information or database or data) with (second near5 (authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3) or reauthenticat$3 or re-authenticat$3)) and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:46

BEST AVAILABLE COPY

-	120	((((authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3) near10 (biometric or fingerprint or finger adj print) and (access$3 or distribut$3) near5 (content or document or information or database or data) with (second near5 (authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3) or reauthenticat$3 or re-authenticat$3)) and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")) and (access$3 or distribut$3) near5 (content or document or information or database or data) near20 (second near5 (authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3) or reauthenticat$3 or re-authenticat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:09
-	4	(713/$6).ccls. and (709/$3).ccls. and ((((authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3) near10 (biometric or fingerprint or finger adj print) and (access$3 or distribut$3) near5 (content or document or information or database or data) with (second near5 (authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3) or reauthenticat$3 or re-authenticat$3)) and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")) and (access$3 or distribut$3) near5 (content or document or information or database or data) near20 (second near5 (authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3) or reauthenticat$3 or re-authenticat$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:59
-	337	(authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3) near10 (biometric or fingerprint or finger adj print or identity or identification) and (709/$3 and 713/$6).ccls. and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:14
-	7	((authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3) near10 (biometric or fingerprint or finger adj print or identity or identification) and (709/$3 and 713/$6).ccls. and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")) and (access$3 or distribut$3 or copy$3 or reproduc$3) adj5 (content or document or information or database or data) near20 (second near3 (authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3) or reauthenticat$3 or re-authenticat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:14
-	39	(authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3) near10 (biometric or fingerprint or finger adj print) and (709/$3 and 713/$6).ccls. and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:15
-	1	((authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3) near10 (biometric or fingerprint or finger adj print) and (709/$3 and 713/$6).ccls. and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")) and (access$3 or distribut$3 or copy$3 or reproduc$3) adj5 (content or document or information or database or data) near20 (second near3 (authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3) or reauthenticat$3 or re-authenticat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:16
-	523	(authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3) near10 (biometric or fingerprint or finger adj print) and (709/$3 or 713/$6).ccls. and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:35
-	29	((authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3) near10 (biometric or fingerprint or finger adj print) and (709/$3 or 713/$6).ccls. and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")) and (access$3 or distribut$3 or copy$3 or reproduc$3) adj5 (content or document or information or database or data) near20 (second near3 (authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3) or reauthenticat$3 or re-authenticat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:43

-	0	((authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3) near10 (biometric or fingerprint or finger adj print) and (709/$3 or 713/$6).ccls. and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")) and (access$3 or distribut$3 or copy$3 or reproduc$3) adj5 (content or document or information or database or data) near20 (again near3 (authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:39
-	0	((authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3) near10 (biometric or fingerprint or finger adj print) and (709/$3 or 713/$6).ccls. and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")) and (access$3 or distribut$3 or copy$3 or reproduc$3) adj5 (content or document or information or database or data) with (again near3 (authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:37
-	0	((authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3) near10 (biometric or fingerprint or finger adj print) and (709/$3 or 713/$6).ccls. and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")) and (access$3 or distribut$3 or copy$3 or reproduc$3) adj5 (content or document or information or database or data) near20 (again near10 (authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:39
-	168	((authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3) near10 (biometric or fingerprint or finger adj print) and (709/$3 or 713/$6).ccls. and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")) and ((second or multiple or plurality) near10 authenticat$3 or (re-authenticat$3 or reauthenticat$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:42
-	145	((authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3) near10 (biometric or fingerprint or finger adj print) and (709/$3 or 713/$6).ccls. and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")) and ((second or multiple or plurality) near5 authenticat$3 or (re-authenticat$3 or reauthenticat$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:42
-	0	((((authoriz$5 or authenticat$3 or check$3 or match$3 or input$4 or measur$3) near10 (biometric or fingerprint or finger adj print) and (709/$3 or 713/$6).ccls. and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")) and ((second or multiple or plurality) near5 authenticat$3 or (re-authenticat$3 or reauthenticat$3))) and (autheticat$3 or reauthenticat$3 or re-authenticat$3) near10 (access$3 or distribut$3 or copy$3 or reproduc$3) adj5 (content or document or information or database or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:45
-	16	(autheticat$3 or reauthenticat$3 or re-authenticat$3) near10 (access$3 or distribut$3 or copy$3 or reproduc$3) adj5 (content or document or information or database or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:45
-	8	((autheticat$3 or reauthenticat$3 or re-authenticat$3) near10 (access$3 or distribut$3 or copy$3 or reproduc$3) adj5 (content or document or information or database or data)) and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:52
-	2	(((autheticat$3 or reauthenticat$3 or re-authenticat$3) near10 (access$3 or distribut$3 or copy$3 or reproduc$3) adj5 (content or document or information or database or data)) and (@AD < "20000427" or @RLAD < "20000427" or @PRAD < "20000427")) and (biometric or bio-metric or fingerprint or finger adj print)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:46
-	4	(("6714968") or ("6205480") or ("5809118") or ("6711610")).PN.	USPAT	2004/08/12 16:06
-	1		USPAT	2004/08/12 16:08